NEUROSCIENCE LETTERS

Vol. 156 Nos. 1,2 **CONTENTS** **JUNE 25th, 1993**

(Cited in Biological Abstracts (BIOSIS), Chemical Abstracts, Current Contents/Life Sciences, Excerpta Medica (EMBASE), Index Medicus, PASCAL M and Science Citation Index)

Announcement from the Publisher v

Decreased raphe serotonin in rabbits with experimental herpes simplex encephalitis
M.A. Päivärinta, R.J. Marttila, P. Lönnberg and U.K. Rinne (Finland) 1

Effect of adrenal demedullation on neuropeptide Y content of the capsule/glomerulosa zone of the rat adrenal gland
E. Maubert, J.P. Dupouy and F. Bernet (France) 5

The ventral pallidum area is involved in the acquisition but not expression of the amphetamine conditioned place preference
N. Hiroi and N.M. White (Canada) 9

Interaction of ethanol with muscarinic receptor-stimulated phosphoinositide metabolism during the brain growth spurt in the rat: role of acetaldehyde
X. Tan, A.F. Castoldi, L. Manzo and L.G. Costa (USA, Italy) 13

Increased loss of brain DNA in the neonatal vasopressin-deficient Brattleboro rat, but not in normal rat treated with vasopressin antagonist
G.J. Boer, F.G.M. Snijdewint, R. Licht and P.t. Riele (The Netherlands) 17

Somatostatin-like immunoreactive axon terminals on oxytocin-like immunoreactive neurons in the paraventricular nucleus of the rat hypothalamus
S. Hisano, M. Chikamori-Aoyama, T. Aizawa and Y. Fukui (Japan) 21

Immunohistochemical demonstration of protein gene product 9.5 (PGP 9.5) in the primary olfactory system of the rat
K. Taniguchi, H. Saito, M. Okamura and K. Ogawa (Japan) 24

Ethanol inhibits tetraethylammonium chloride-induced synaptic plasticity in area CA1 of rat hippocampus
G. Zhang and R.A. Morrisett (USA) 27

Endothelin induction of adhesion molecule expression on human brain microvascular endothelial cells
R.M. McCarron, L. Wang, D.B. Stanimirovic and M. Spatz (USA) 31

The non-dihydropyridine L-type voltage-sensitive calcium channel activator FPL 64176 enhances K^+-evoked efflux of [^{3}H]norepinephrine from rat neocortical slices
T. Ginap, D.J. Dooley and T.J. Feuerstein (USA, FRG) 35

The NMDA receptor antagonist MK-801 markedly reduces the induction of c-fos gene by haloperidol in the mouse striatum
B. Ziólkowska and V. Höllt (FRG) 39

Sustained hyperalgesia can be induced in the rat by a single formalin injection and depends on the initial nociceptive inputs
R. Cadet, L. Aigouy and A. Woda (France) 43

Cycloheximide downsynthesizes inhibitory molecules for neurite outgrowth in neural transplantation
M. Nagao, H. Kamo, I. Akiguchi and J. Kimura (Japan) 47

Glucocorticoid regulation of cannabinoid receptor messenger RNA levels in the rat caudate-putamen. An in situ hybridization study
P. Mailleux and J.-J. Vanderhaeghen (Belgium) 51

Intraventricular injection of neostigmine increases dopaminergic and noradrenergic nerve activities: hyperglycemic effects and neurotransmitters in the hypothalamus
A. Takahashi, H. Ishimaru, Y. Ikarashi and Y. Maruyama (Japan) 54

VIP-induced stellation and immediate early gene expression in astrocytes: effects of dexamethasone
K. Hisanaga, S.M. Sagar, J. Koistinaho, K.J. Hicks and F.R. Sharp (USA, Japan) 57

Activation of dentate hilar neurons by stimulation of the fimbria in rat hippocampal slices
H.E. Scharfman (USA) 61

Okadaic acid enhances abnormal phosphorylation on tau proteins
Y. Furiya, N. Sahara and H. Mori (Japan) 67

Vesicle monoamine transporters 1 and 2: differential distribution and regulation of their mRNAs in chromaffin and ganglion cells of rat adrenal medulla
S.K. Mahata, M. Mahata, R. Fischer-Colbrie and H. Winkler (Austria) 70

(Contents continued on p. 179)

This journal is printed on acid-free paper.

0304-3940(19930625)156:1/2;1-4

CONTENTS *(continued from the back cover)*

NMDA receptors at excitatory synapses in the hippocampus: test of a theory of magnesium block
J.M. Bekkers and C.F. Stevens (USA, Australia) 73
Barbiturate anaesthesia reduces the neurotoxic effects of quinolinate but not ibotenate in the rat pedunculopontine tegmental nucleus
W.L. Inglis, J.S. Dunbar and P. Winn (UK) 78
Proline-directed kinase systems in Alzheimer's disease pathology
J.G. Wood, Q. Lu, C. Reich and P. Zinsmeister (USA) 83
Expression of *smg* p25A/*rab* 3A guanine nucleotide dissociation inhibitor (GDI) in neurons and glial cells from rat brain
T. Motoike, K. Sano, H. Nakamura and Y. Takai (Japan) 87
Colocalization of prolactin- and dynorphin-like substances in a neuronal population of the rat lateral hypothalamus
B. Griffond, A. Deray, D. Fellmann, P. Ciofi, D. Croix and C. Bugnon (France) 91
Ubiquitin-reactive neurites in cerebral cortex of subjects with Huntington's chorea: a pathological correlate of dementia?
S. Cammarata, C. Caponnetto and M. Tabaton (USA) 96
2-Deoxyglucose autoradiographic evidence that fetal substantia nigra grafts exert contralateral effects in 6-hydroxydopamine-lesioned animals who recover motor asymmetries
A. Zainos-Rosales, R. Aguilar-Roblero, J.-L. Mendoza-Ramírez and R. Drucker-Colín (México) 99
Distribution of NADPH-diaphorase in the cerebral blood vessels of rats: a histochemical study
H. Tomimoto, I. Akiguchi, H. Wakita, S. Nakamura and J. Kimura (Japan) 105
Translational initiation factor eIF-2 subcellular levels and phosphorylation status in the developing rat brain
M.E. Martín, A. Alcázar, J.L. Fando, A.M. García and M. Salinas (Spain) 109
Preliminary results of a magnetic resonance imaging (MRI) study of the pig brain placed in stereotaxic conditions
J.-C. Marcilloux, M.-B. Félix, O. Rampin, C. Stoffels, M.-T. Ibazizen, E.A. Cabanis, J.-P. Laplace and D. Albe-Fessard (France) 113
Effect of prolactin on the sleep–wake cycle in the rat
R. Roky, J.-L. Valatx and M. Jouvet (France) 117
Corticosterone response to the serotonergic agonist D-fenfluramine may be independent from corticotropin-releasing factor (CRF)
V. Baudrie, C. Oliver and F. Chaouloff (France) 121
Ontogeny of gene expression of inositol 1,4,5-trisphosphate receptor in the rat brain: high mRNA levels in the cerebellar Purkinje cells
P. Mailleux, N. Albala and J.-J. Vanderhaeghen (Belgium) 125
Identification and functional significance of nicotinic cholinergic receptors in the rat pineal gland
B. Stankov, M. Cimino, P. Marini, V. Lucini, F. Fraschini and F. Clementi (Italy) 131
RP 67580, a selective antagonist of neurokinin-1 receptors, modifies some of the naloxone-precipitated morphine withdrawal signs in rats
R. Maldonado, D. Girdlestone and B.P. Roques (France) 135
Inhibition of volume regulation and efflux of osmoregulatory amino acids by blockers of Cl^- transport in cultured astrocytes
R. Sánchez-Olea, C. Peña, J. Morán and H. Pasantes-Morales (Mexico) 141
Membrane toxicity of the protein kinase C inhibitor calphostin A by a free-radical mechanism
S.S.-H. Wang, C. Mathes and S.H. Thompson (USA) 145
Mossy fiber sprouting in epileptic rats is associated with a transient increased expression of α-tubulin
A. Represa, H. Pollard, J. Moreau, G. Ghilini, M. Khrestchatisky and Y. Ben-Ari (France) 149
Glutathione modulates the *N*-methyl-D-aspartate receptor-activated calcium influx into cultured rat cerebellar granule cells
R. Janáky, V. Varga, P. Saransaari and S.S. Oja (Finland) 153
Hippocampal interneuron activity in unanesthetized rats: relationship to the sleep-wake cycle
O. Prospéro-García, D.R. Miller and S.J. Henriksen (USA) 158
Differential expression of GABA transporter-1 messenger RNA in subpopulations of GABA neurones
M. Rattray and J.V. Priestley (UK) 163
Spinal and supraspinal mechanisms contribute to the silent period in the contracting soleus muscle after transcranial magnetic stimulation of human motor cortex
U. Ziemann, J. Netz, A. Szelényi and V. Hömberg (FRG) 167

Factors in the cerebrospinal fluid of multiple sclerosis patients interfering with voltage-dependent sodium channels
H. Brinkmeier, K.H. Wollinsky, M.J. Seewald, P.-J. Hülser, H.-H. Mehrkens, H.H. Kornhuber and R. Rüdel (FRG) 172

Letter to the Editor 175

Author Index 176